


# CABLES TRADE PRICE LIST

NO. TPR07 - 3rd September 2009

**ENERGY**



## **FOR CABLES**

These cables are sold subject to Prysmian's Standard Conditions of Sale, copies of which are available on request, and on our website [www.prysmian.co.uk](http://www.prysmian.co.uk)

All prices quoted are exclusive of VAT which will be added at the appropriate rate at the time of invoice.

Prices for non-standard colours or packaging are available upon request.

For free delivery, all orders are subject to a minimum value of £1,000. Any order below this amount will be subject to a surcharge, details of which are available at time of order placement.

A premium of £50 is charged for next-day delivery.

For **any** product returns, please contact the After Sales Service Team on Tel: 0845 767 8345. Non-agreed returns will be refused.

**For further Information, please contact: Sales Office** Prysmian Cables & Systems Limited, Chickenhall Lane, Eastleigh, Hampshire, SO50 6YU **Tel: 0845 767 8345 Fax: 023 8029 5465**

## **FOR COMPONENTS**

Prysmian Components' products are sold subject to our Standard Conditions of Sale, copies of which are available upon request, and on our website [www.prysmian.co.uk](http://www.prysmian.co.uk)

Prysmian shall have the right at any time prior to delivery or collection of the products to change their specification in accordance with Clause 3.2 of our Standard Conditions of Sale.

All prices are quoted exclusive of VAT, which will be added at the appropriate rate at the time of invoice.

All orders are subject to a minimum order value of £150 and minimum quantities for certain items.

All other products are generally available ex-stock subject to remaining unsold, and are normally delivered on a standard delivery day, subject to confirmation at time of order. Special delivery requirements are by exception and will be charged at cost. This cost will be confirmed at time of order.

For **any** product returns, please contact the After Sales Service Team on Tel: 0845 767 8345. Non-agreed returns will be refused.

**For further Information, please contact: Sales Office** Prysmian Cables & Systems Limited, Chickenhall Lane, Eastleigh, Hampshire, SO50 6YU **Tel: 0845 767 8345 Fax: 023 8029 5465**

## contents

SECTION 1

**PVC CABLES**

SECTION 2

**LSOH CABLES**

SECTION 3

**FIRE PERFORMANCE CABLES**

SECTION 4

**CABLE GLANDS**

SECTION 5

**CABLE CLEATS**

SECTION 6

**CABLE CONNECTORS**

SECTION 7

**CABLE JOINTS**



## 6491X - PVC insulated conduit wire to BS 6004

Conductor Nominal Area mm <sup>2</sup>	Pack Size Metres	Colour	Price		Group
			Per 100m £	Per 1000m £	
1 Solid	100 Reelpac/500 NR Drums	Standard	53	492	B
1.5	100 Reelpac/500 NR Drums	Standard	66	587	A
2.5	100 Reelpac/500 NR Drums	Standard	95	866	A
4	100 Reelpac/500 NR Drums	Standard	211	1,923	B
6	100 Reelpac/500 NR Drums	Standard	309	2,794	B
10	100 Reels/500 NR Drums	Standard	575	5,223	B
16	100 Reels/500 NR Drums	Standard	906	8,246	C
25	500 NR Drums	Standard	-	8,540	C
25	500 NR Drums	Green/Yellow	-	7,943	C
35	500 NR Drums	Standard	-	10,625	C
35	500 NR Drums	Green/Yellow	-	9,843	C
50	500 Drums	Standard	-	15,493	C
50	500 Drums	Green/Yellow	-	14,310	C
70	500 Drums	Standard	-	19,528	C
70	500 Drums	Green/Yellow	-	16,816	C
95	500 Drums	Standard	-	30,823	C
95	500 Drums	Green/Yellow	-	26,797	C

Standard colours - Black, White, Blue, Brown, Green/Yellow, or Grey.  
Conductors are Class 2 stranded except where shown.



## PVC insulated and sheathed, single core, flat twin and flat three core cables with bare CPC to BS6004

Conductor Nominal Area mm <sup>2</sup>	Pack Size Metres	6241YH - Light Grey Single Core with Bare CPC	Group	6242YH - Light Grey Flat Twin Core with Bare CPC		Group	6243YH - Light Grey Flat Three Core with Bare CPC		Group
		Per 1000m £		Per Pack £	Per 1000m £		Per Pack £	Per 1000m £	
1.0 Solid	100	1,402	C	124	1,131	A	327	2,972	B
1.5 Solid		1,754	C	154	1,411	A	516	4,690	B
2.5 Solid		-	-	212	1,930	A	-	-	-
4		-	-	721	6,564	B	-	-	-
6		-	-	857	7,795	B	-	-	-
10		-	-	1,413	12,859	C	-	-	-
16		-	-	2,255	20,496	C	-	-	-
1.0 Solid	50	-	-	74	1,327	A	192	3,482	B
1.5 Solid		-	-	91	1,661	A	301	5,492	B
2.5 Solid		-	-	126	2,284	A	-	-	-
4		-	-	468	7,699	B	-	-	-
6		-	-	502	9,135	B	-	-	-
10		-	-	760	13,818	C	-	-	-
16		-	-	1,211	22,030	C	-	-	-

Conductors are Class 2 stranded except where shown.  
6242YH with two Brown Cores are subject to a surcharge of 25%.



## PVC insulated and sheathed single core cables to BS 6004

Conductor Nominal Area mm <sup>2</sup>	Pack Size Metres	6181YH Single Core	Group
		Per 1000m £	
1.0 Solid	100	840	C
1.5 Solid		1,115	C
2.5 Solid		1,859	C
4		3,030	C
6		4,029	C
10		6,409	C
16		8,187	B
25		15,687	B
35		23,882	B
6	50	4,428	C
10		7,113	C
16		8,927	B
25		16,862	B
35		26,148	B

Conductors are Class 2 stranded except where shown.  
Standard colours - Brown/Grey, Blue/Grey.



## PVC insulated and sheathed, 300/500 V flexible cords to BS 6500



Conductor Nominal Area mm <sup>2</sup>	Pack Size Metres	Ref No. 3182Y Two Core Circular White Sheath	Group	Ref No. 3183Y Three Core Circular White or Black Sheath	Group	Ref No. 3184Y Four Core Circular White or Black Sheath	Ref No. 3185Y Five Core Circular White or Black Sheath	Ref No. 3192Y Two Core Flat White Sheath	Group
		Per 1000m £		Per 1000m £		Per 1000m £	Per 1000m £	Per 1000m £	
0.75	100	896	E	869	D	2,421	4,911	944	E
1		1,160	E	1,059	D	2,835	5,339	-	E
1.5		1,649	E	1,469	D	4,039	7,475	-	E
2.5		3,498	E	3,004	E	6,237	11,768	-	E
0.75	50	1,002	E	970	E	2,716	5,457	1,009	E
1		1,242	E	1,178	E	3,174	5,979	-	E
1.5		1,832	E	1,640	E	4,512	8,366	-	E
2.5		3,884	E	3,356	E	6,977	13,168	-	E

Conductors are Class 5 flexible

## PVC insulated and sheathed, 300/300 V light flexible cords to BS 6500



Conductor Nominal Area mm <sup>2</sup>	Pack Size Metres	Ref No. 2182Y Two Core Circular White Sheath	Ref No. 2183Y Three Core Circular White Sheath	Ref No. 2192Y Two Core Flat White Sheath	Group
		Per 1000m £	Per 1000m £	Per 1000m £	
0.5	100	567	767	732	E
0.75		876	1,203	901	E
0.5	50	633	844	817	E
0.75		970	1,342	1,009	E

Conductors are Class 5 flexible

## PVC insulated and sheathed, 300/500 V heat resisting flexible cords to BS 6500



Conductor Nominal Area mm <sup>2</sup>	Pack Size Metres	Ref No. 3092Y Two Core Circular White Sheath	Ref No. 3093Y Three Core Circular White Sheath	Group
		Per 1000m £	Per 1000m £	
0.5	100	1,224	1,667	E
0.75		1,489	1,772	E
1		-	2,416	E
1.5		-	3,365	E
2.5		-	5,042	E
0.5	50	1,372	1,869	E
0.75		1,671	1,983	E
1		-	2,696	E
1.5		-	3,765	E
2.5		-	5,650	E

Conductors are Class 5 flexible

## XLPE insulated, PVC sheathed, armoured cables to BS 5467



Conductor Nominal Area mm <sup>2</sup>		1.5	Group	2.5	Group	4	6	10	16	Group
Ref. No.	No. of Cores	Per 1000m £		Per 1000m £		Per 1000m £	Per 1000m £	Per 1000m £	Per 1000m £	
6942XLH	2	2,916	F	3,355	F	5,299	6,691	10,051	12,306	G
6943XLH	3	3,273	F	4,014	F	6,222	7,891	14,087	17,422	G
6944XLH	4	3,637	F	4,640	F	7,417	10,022	16,421	19,313	G
6945XLH	5	6,064	G	7,972	G	12,504	-	-	-	G
6947XL	7	6,845	G	9,307	G	13,638	-	-	-	G
694/12XL	12	11,103	G	14,890	G	-	-	-	-	-
694/19XL	19	16,777	G	23,330	G	-	-	-	-	-
694/27XL	27	24,630	G	31,575	G	-	-	-	-	-
694/37XL	37	31,656	G	41,857	G	-	-	-	-	-

Standard Colour - Black.  
Conductors are Class 2 stranded

## 6491B - LSOH® conduit wire to BS 7211

Conductor Nominal Area mm <sup>2</sup>	Pack Size Metres	Colour	Price	Group
			Per 1000m £	
1.5	100 Reels/500 NR Drums	Standard	893	H
2.5	100 Reels/500 NR Drums	Standard	1,221	H
4	100 Reels/500 NR Drums	Standard	2,479	J
6	100 Reels/500 NR Drums	Standard	3,687	J
10	100 Reels/500 NR Drums	Standard	6,267	J
16	100 Reels/500 NR Drums	Standard	8,861	J
25	500 NR Drums	Green/Yellow	16,423	J
25	500 NR Drums	Standard	17,654	J
35	500 NR Drums	Green/Yellow	21,152	J
35	500 NR Drums	Standard	22,820	J
50	500 Drums	Green/Yellow	24,209	J
50	500 Drums	Standard	26,215	J
70	500 Drums	Green/Yellow	32,872	J
70	500 Drums	Standard	38,168	J
95	500 Drums	Green/Yellow	41,140	J
95	500 Drums	Standard	47,313	J

Standard Colours - Black, Blue, Green/Yellow, Brown & Grey.  
Conductors are Class 2 stranded



## 6242B - LSOH® insulated and sheathed, flat twin and flat three core cables with bare CPC to BS 7211

Conductor Nominal Area mm <sup>2</sup>	Pack Size Metres	6242BH - White Flat Twin Core with Bare CPC		Group	6243BH - White Flat Twin Core with Bare CPC		Group
		Per Pack £	Per 1000m £		Per Pack £	Per 1000m £	
1.5 Solid		213	1,937	T	752	6,852	U
2.5 Solid		295	2,678	T	-	-	-
4		885	8,063	U	-	-	-
6		1,261	11,488	U	-	-	-
10		2,265	20,605	U	-	-	-
16		3,301	30,049	V	-	-	-

Conductors are Class 2 stranded except where shown.



## LSX™

Conductor Nominal Area mm <sup>2</sup>	Pack Size Metres	LSX Two Core with bare CPC	LSX Three Core with bare CPC	LSX Four Core with bare CPC	Group
		Per 1000m £	Per 1000m £	Per 1000m £	
1.5		2,875	3,346	4,026	K
2.5		3,693	4,430	5,183	K
4		6,265	7,624	8,479	K

Conductors are Class 2 stranded.



## Piresafe™ Flex

Conductor Nominal Area mm <sup>2</sup>	Pack Size Metres	Ref No. 3182B LSOH® Twin Circular White Sheath	Ref No. 3183B LSOH® Three Core Circular White Sheath	Ref No. 3184B LSOH® Four Core Circular White Sheath	Group
		Per 1000m £	Per 1000m £	Per 1000m £	
1		1,688	1,705	2,123	L
1.5		2,243	2,321	2,742	L
2.5		3,120	3,606	4,204	L

Conductors are Class 5 flexible.



## XLPE insulated, LSOH® sheathed, armoured cables to BS 6724

Conductor Nominal Area mm <sup>2</sup>	1.5		Group	2.5		Group	4		6		10		16		Group
	Ref. No.	No. of Cores		Per 1000m £	Per 1000m £		Per 1000m £	Per 1000m £	Per 1000m £	Per 1000m £	Per 1000m £	Per 1000m £			
6942LSH	2	2	4,812	M	5,501	M	7,009	8,069	10,908	15,098	M				
6943LSH	3	3	5,286	M	5,819	M	7,883	9,533	13,212	17,640	M				
6944LSH	4	4	5,856	M	6,993	M	9,243	11,735	15,339	21,534	M				
6945LSH	5	5	7,827	M	9,704	M	-	-	-	-	M				
6947LS	7	7	10,252	M	13,005	M	-	-	-	-	M				
694/12LS	12	12	15,105	M	18,793	M	-	-	-	-	-				
694/19LS	19	19	22,054	M	29,471	M	-	-	-	-	-				
694/27LS	27	27	31,014	M	39,745	M	-	-	-	-	-				
694/37LS	37	37	43,078	M	54,477	M	-	-	-	-	-				

Standard Colour - Black.  
Conductors are Class 2 stranded



## FP100®



Conductor Nominal Area mm <sup>2</sup>	Pack Size Metres	FP100® Single Core	Group
		Per 1000m £	
1	100	1,543	P
1.5		1,618	P
2.5		1,943	P
4		2,347	P
6		2,482	P
10		3,790	P

Standard colours - Black, Blue, Brown, Grey & Green/Yellow  
Conductors are Class 2 stranded.

## FP200 GOLD® MULTICORE

Conductor Nominal Area mm <sup>2</sup>	FP200 GOLD® 7 Core	FP200 GOLD® 12 Core	FP200 GOLD® 19 Core	Group
	Per 1000m £	Per 1000m £	Per 1000m £	
1.0	7,434	-	-	S
1.5	9,197	22,195	40,396	S
2.5 Stranded	12,069	29,139	50,431	S

Standard sheath colours - White or Red  
Conductors are Class 1 solid except where shown.

## FP200 GOLD®



Conductor Nominal Area mm <sup>2</sup>	Pack Size Metres	FP200 GOLD® Two Core with Bare CPC	Group	FP200 GOLD® Three Core with Bare CPC	Group	FP200 GOLD® Four Core with Bare CPC	Group
		Per 1000m £		Per 1000m £		Per 1000m £	
1	100	3,333	S	4,227	S	5,135	S
1.5		2,480	R	5,285	S	6,400	S
2.5		5,162	S	6,559	S	8,948	S
4 Stranded		8,038	S	10,819	S	14,047	S
1.5	500	2,480	R	-	-	-	-
2.5		5,162	S	-	-	-	-

Standard sheath colours - White or Red  
Conductors are Class 1 solid except where shown.

## FP200 FLEX™



Conductor Nominal Area mm <sup>2</sup>	Pack Size Metres	FP200 FLEX™ Two Core with Bare CPC	Group	FP200 FLEX™ Three Core with Bare CPC	Group	FP200 FLEX™ Four Core with Bare CPC	Group
		Per 1000m £		Per 1000m £		Per 1000m £	
1.5	100	2,527	R	5,390	S	6,528	S
2.5		5,260	S	6,687	S	9,129	S
1.5	500	2,527	R	-	-	-	-
2.5		5,260	S	-	-	-	-

Standard sheath colours - White or Red  
Conductors are Class 2 stranded.

## FP PLUS™



Conductor Nominal Area mm <sup>2</sup>	Pack Size Metres	FP PLUS™ Two Core with Bare CPC	FP PLUS™ Three Core with Bare CPC	FP PLUS™ Four Core with Bare CPC	Group
		Per 1000m £	Per 1000m £	Per 1000m £	
1.5	100	4,222	5,654	6,663	S
2.5		5,344	8,406	10,049	S

Standard sheath colours - White or Red  
Conductors are Class 1 solid.

## FP PLUS FLEX™



Conductor Nominal Area mm <sup>2</sup>	Pack Size Metres	FP PLUS FLEX™ Two Core with Bare CPC	Group
		Per 1000m £	
1.5	100	4,434	S
2.5 Stranded		5,608	S
4.0 Stranded		8,438	S

Standard sheath colours - White or Red  
Conductors are Class 1 solid except where shown.

## FP FIREFIX™ - FP FIXING SYSTEM & FIXING CLIPS



Code	To Hold	Clip Colour	CABLE SIZE				
			FP200 GOLD®				FP PLUS™
			2 x 1.5mm <sup>2</sup> Per Pack £	3 x 1.0mm <sup>2</sup> Per Pack £	3 x 1.5mm <sup>2</sup> Per Pack £	4 x 1.0mm <sup>2</sup> Per Pack £	
UFPNF01R	1 Cable	Red	315.56	-	-	-	-
UFPNF01W	1 Cable	White	315.56	-	-	-	-
UFPNF02R	1 or 2 Cables	Red	315.56	315.56	-	-	-
UFPNF02W	1 or 2 Cables	White	315.56	315.56	-	-	-
UFPNF04R	1 or 2 Cables	Red	-	-	315.56	315.56	315.56 (1 cable only)
UFPNF04W	1 or 2 Cables	White	-	-	315.56	315.56	315.56 (1 cable only)

Nail fired fixing system for use with FP cable.  
UFPNF01R/W kits contain: 500 FP Firefix™ clips, 500 nails and 1 fuel cell  
UFPNF02R/W and UFPNF04R/W kits contain: 500 FP Firefix™ clips, 500 nails, 5 adaptors and 1 fuel cell  
System for use with Pulsa 700E gas nailing tool - Tool sold separately

## AP CABLE CLIPS - RED AND WHITE



Code	CABLE SIZE								
	FP200 GOLD®								
	2 x 1.0mm <sup>2</sup> Per Pack £	2 x 1.5mm <sup>2</sup> Per Pack £	2 x 2.5mm <sup>2</sup> Per Pack £	3 x 1.0mm <sup>2</sup> Per Pack £	3 x 1.5mm <sup>2</sup> Per Pack £	3 x 2.5mm <sup>2</sup> Per Pack £	4 x 1.0mm <sup>2</sup> Per Pack £	4 x 1.5mm <sup>2</sup> Per Pack £	4 x 2.5mm <sup>2</sup> Per Pack £
AP7*	9.52	9.52	-	9.52	-	-	-	-	-
AP8*	-	-	-	-	9.95	-	9.95	-	-
AP9*	-	-	10.49	-	-	-	-	10.49	-
AP10*	-	-	-	-	-	10.98	-	-	-
AP11*	-	-	-	-	-	-	-	-	11.09

\*Note: Add suffix 'R' for red or 'W' for white e.g. AP6W

**BW (INDOOR) TYPE - FOR SWA CABLE**

(Includes Gland, Steel Backnut, PVC Shroud and Brass Earth Tag)



Size	Items per kit	Ref. No.	Price £ each
20S	2	BW20SK	P.O.A
20	2	BW20K	P.O.A
25	2	BW25K	P.O.A
32	1	BW32K	P.O.A
40	1	BW40K	P.O.A
50	1	BW50K	P.O.A
63	1	BW63K	P.O.A
75S	1	BW75SK	P.O.A
75	1	BW75K	P.O.A

**A1/A2 (INDOOR/OUTDOOR) TYPE - UNARMoured CABLE**

(Includes Gland, PVC Shroud, Steel Backnut)



Size	Items per kit	Ref. No.	Price £ each
20SS	2	KM40971	P.O.A
20S	2	KM40952	P.O.A
20	2	KM40953	P.O.A
25	2	KM40955	P.O.A
32	1	KM40956	P.O.A
40	1	KM40957	P.O.A
50S	1	KM40958	P.O.A
50	1	KM40959	P.O.A
63S	1	KM40960	P.O.A
63	1	KM40961	P.O.A
75S	1	KM40962	P.O.A
75	1	KM40963	P.O.A

**E1W (INDOOR/OUTDOOR) TYPE - FOR SWA CABLE**

(Includes Gland, Steel Backnut, PVC Shroud and Brass Earth Tag)



Size	Items per kit	Ref. No.	Price £ each
20SS	2	E1W20SSK	P.O.A
20S	2	E1W20SK	P.O.A
20	2	E1W20K	P.O.A
25	2	E1W25K	P.O.A
32	1	E1W32K	P.O.A
40	1	E1W40K	P.O.A
50S	1	E1W50SK	P.O.A
50	1	E1W50K	P.O.A
63S	1	E1W63SK	P.O.A
63	1	E1W63K	P.O.A
75S	1	E1W75SK	P.O.A
75	1	E1W75K	P.O.A

**NYLON IP68 (INDOOR/OUTDOOR) TYPE - UNARMoured CABLE**

Note : For Black insert 'B' e.g. 403KB51  
For White insert 'W',  
Red insert 'R',  
Grey insert 'G'

Size	Ref. No.	Price £ per 100
M16	403K*51	P.O.A
M20	403K*53	P.O.A
M25	403K*55	P.O.A
M32	403K*56	P.O.A



**CW (INDOOR/OUTDOOR) TYPE - FOR SWA CABLE**

(Includes Gland, Steel Backnut, PVC Shroud and Brass Earth Tag)



Size	Items per kit	Ref. No.	Price £ each
20SS	2	CW20SSK	P.O.A
20S	2	CW20SK	P.O.A
20	2	CW20K	P.O.A
25	2	CW25K	P.O.A
32	1	CW32K	P.O.A
40	1	CW40K	P.O.A
50S	1	CW50SK	P.O.A
50	1	CW50K	P.O.A
63	1	CW63K	P.O.A
75	1	CW75K	P.O.A
85	1	CW85K	P.O.A

**CABLE GLANDS FOR FP FIRE RESISTANT CABLES**

GL FP2520 - RED AND WHITE

\* Note : Add suffix "R" for Red or "W" for White e.g. FP2520R



FP200 Cable size cores/mm <sup>2</sup>	Ref. No.	Price £ per 100
2 x 1.0	FP2520*	P.O.A
2 x 1.5	FP2520*	P.O.A
2 x 2.5	FP2520*	P.O.A
2 x 4.0	FP2520*	P.O.A
3 x 1.0	FP2520*	P.O.A
3 x 1.5	FP2520*	P.O.A
3 x 2.5	FP2520*	P.O.A
3 x 4.0	FP2520*	P.O.A
4 x 1.0	FP2520*	P.O.A
4 x 1.5	FP2520*	P.O.A
4 x 2.5	FP2520*	P.O.A

\* Note: P.O.A = Price On Application

**AFUMEX® LSOH BW (INDOOR) TYPE - FOR SWA CABLE**

(Includes Gland, Brass Backnut, Afumex® Shroud, and Earth Tag)

Size	Items per kit	Ref. No.	Price £ each
20S	2	LSF20SBW	P.O.A
20	2	LSF20BW	P.O.A
25	2	LSF25BW	P.O.A
32	1	LSF32BW	P.O.A
40	1	LSF40BW	P.O.A
50	1	LSF50BW	P.O.A
63	1	LSF63BW	P.O.A
75S	1	LSF75SBW	P.O.A
75	1	LSF75BW	P.O.A



LUL approved  
Designed for use with FP, AFUMEX LSOH & LSF cables

**AFUMEX® LSOH A1/A2 (INDOOR/OUTDOOR) TYPE - FOR UNARMoured CABLE**

(Includes Gland, Brass Backnut and Afumex® Shroud)

Size	Items per kit	Ref. No.	Price £ each
20SS	2	423LSF71	P.O.A
20S	2	423LSF52	P.O.A
20	2	423LSF53	P.O.A
25	2	423LSF55	P.O.A
32	1	423LSF56	P.O.A
40	1	423LSF57	P.O.A
50S	1	423LSF58	P.O.A
50	1	423LSF59	P.O.A
63S	1	423LSF60	P.O.A
63	1	423LSF61	P.O.A
75S	1	423LSF62	P.O.A
75	1	423LSF63	P.O.A



LUL approved  
Designed for use with FP, AFUMEX LSOH & LSF cables

**AFUMEX® LSOH CW (INDOOR/OUTDOOR) TYPE - FOR SWA CABLE**

(Includes Gland, Brass Backnut, Afumex® Shroud, and Earth Tag)

Size	Items per kit	Ref. No.	Price £ each
20SS	2	LSF20SSCW	P.O.A
20S	2	LSF20SCW	P.O.A
20	2	LSF20CW	P.O.A
25	2	LSF25CW	P.O.A
32	1	LSF32CW	P.O.A
40	1	LSF40CW	P.O.A
50S	1	LSF50SCW	P.O.A
50	1	LSF50CW	P.O.A
63	1	LSF63CW	P.O.A
75	1	LSF75CW	P.O.A



LUL approved  
Designed for use with FP, AFUMEX LSOH & LSF cables

**TELCLEATS (Black Polythene)**

Cable Diameter mm	Ref. No.	Price £ per 100
10.5 - 14.15	385AA01	P.O.A
12.2 - 16.7	385AA02	P.O.A
14.6 - 19.8	385AA03	P.O.A
17.7 - 24.0	385AA04	P.O.A
21.7 - 28.5	385AA05	P.O.A
26.2 - 34.2	385AA06	P.O.A
31.9 - 41.6	385AA07	P.O.A
39.3 - 51.1	385AA08	P.O.A



**AFUMEX® LSOH TELCLEATS**

Cable Diameter mm	Ref. No.	Price £ per 100
10.5 - 14.15	385LSF01	P.O.A
12.2 - 16.7	385LSF02	P.O.A
14.6 - 19.8	385LSF03	P.O.A
17.7 - 24.0	385LSF04	P.O.A
21.7 - 28.5	385LSF05	P.O.A
26.2 - 34.2	385LSF06	P.O.A
31.9 - 41.6	385LSF07	P.O.A
39.3 - 51.1	385LSF08	P.O.A



LUL approved  
Designed for use with AFUMEX LSOH & LSF cables

**AFUMEX® LSOH HOOK CLEATS**

Cable Diameter mm	Ref. No.	Price £ each
25 - 35	384LSF01	P.O.A
34 - 44	384LSF02	P.O.A
43 - 53	384LSF03	P.O.A
52 - 62	384LSF04	P.O.A
61 - 71	384LSF05	P.O.A
70 - 80	384LSF06	P.O.A



Designed for use with AFUMEX LSOH & LSF cables

**CABLE TIES - NYLON, COLOUR - BLACK**

Size	Ref. No.	Price £ each
96 x 2.5	BB18S	P.O.A
150 x 3.5	BB40S	P.O.A
203 x 3.5	BB40L	P.O.A
190 x 5.0	BB50S	P.O.A
280 x 5.0	BB50A	P.O.A
368 x 5.0	BB50L	P.O.A
380 x 8.0	BB120S	P.O.A
550 x 8.0	BB120L	P.O.A



\* Note: P.O.A = Price On Application



0.5 - 1.5mm<sup>2</sup> RED RINGS



1.0 - 2.5mm<sup>2</sup> BLUE RINGS



4.0 - 6.0mm<sup>2</sup> YELLOW RINGS



Stud Size mm <sup>2</sup>	Reference Number	Price £ per 100
3.0	BER3PAK	P.O.A
3.5	BER35PAK	P.O.A
4.0	BER4PAK	P.O.A
5.0	BER5PAK	P.O.A
6.0	BER6PAK	P.O.A
8.0	BER8PAK	P.O.A
10.0	BER10PAK	P.O.A

Stud Size mm	Reference Number	Price £ per 100
3.0	BEB3PAK	P.O.A
3.5	BEB35PAK	P.O.A
4.0	BEB4PAK	P.O.A
5.0	BEB5PAK	P.O.A
6.0	BEB6PAK	P.O.A
8.0	BEB8PAK	P.O.A
10.0	BEB10PAK	P.O.A
12.0	BEB12PAK	P.O.A

Stud Size mm	Reference Number	Price £ per 100
3.0	BEY3PAK	P.O.A
4.0	BEY4PAK	P.O.A
5.0	BEY5PAK	P.O.A
6.0	BEY6PAK	P.O.A
8.0	BEY8PAK	P.O.A
10.0	BEY10PAK	P.O.A
12.0	BEY12PAK	P.O.A

0.5 - 1.5mm<sup>2</sup> RED PIN



1.0 - 2.5mm<sup>2</sup> BLUE PIN



4.0 - 6.0mm<sup>2</sup> YELLOW PIN



Length mm	Reference Number	Price £ per 100
12.0	BER10PPAK	P.O.A

Length mm	Reference Number	Price £ per 100
12.0	BEB10PPAK	P.O.A

Length mm	Reference Number	Price £ per 100
14.0	BEY10PPAK	P.O.A

0.5 - 1.5mm<sup>2</sup> RED BUTT SPLICES



1.0 - 2.5mm<sup>2</sup> BLUE BUTT SPLICES



4.0 - 6.0mm<sup>2</sup> YELLOW BUTT SPLICES



Reference Number	Price £ per 100
BERSPAK	P.O.A

Reference Number	Price £ per 100
BEBSPAK	P.O.A

Reference Number	Price £ per 100
BEYSPAK	P.O.A

0.5 - 1.5mm<sup>2</sup> RED PUSH ONS



1.0 - 2.5mm<sup>2</sup> BLUE PUSH ONS



4.0 - 6.0mm<sup>2</sup> YELLOW PUSH ONS



For Tab Size	Reference Number	Price £ per 100
6.3x0.8	BDR63FPAK	P.O.A
6.3x0.8	BDR63FEPAK	P.O.A

For Tab Size	Reference Number	Price £ per 100
6.3x0.8	BDB63FPAK	P.O.A
6.3x0.8	BDB63FEPAK	P.O.A

For Tab Size	Reference Number	Price £ per 100
6.3x0.8	BDY63FPAK	P.O.A
6.3x0.8	BDY63FEPAK	P.O.A
9.5x1.2	BDY95FPAK	P.O.A

\* Note: P.O.A = Price On Application

**HANDTOOLS RATCHET**



Capacity mm <sup>2</sup>	Description	Ref. No.	Price £ each
0.5 to 6.0	Pre-insulated	BMR6GP3	P.O.A

**TUBE TERMINALS FOR COPPER CONDUCTORS**  
1 - 1000mm<sup>2</sup>



Stranded Cu cable size mm <sup>2</sup>	Stud Size mm	Ref. No.	Price £ per 100
0.75 - 1.5	3.5	BT1C35	P.O.A
0.75 - 1.5	4.0	BT1C4	P.O.A
0.75 - 1.5	5.0	BT1C5	P.O.A
1.5 - 2.5	3.5	BT2C35	P.O.A
1.5 - 2.5	4.0	BT2C4	P.O.A
1.5 - 2.5	5.0	BT2C5	P.O.A
1.5 - 2.5	6.0	BT2C6	P.O.A
1.5 - 2.5	8.0	BT2C8	P.O.A
4.0 - 6.0	3.5/4.0	BT6C35/4	P.O.A
4.0 - 6.0	5.0	BT6C5	P.O.A
4.0 - 6.0	6.0	BT6C6	P.O.A
4.0 - 6.0	8.0	BT6C8	P.O.A
4.0 - 6.0	10.0	BT6C10	P.O.A
10	5.0	BT10C5	P.O.A
10	6.0	BT10C6	P.O.A
10	8.0	BT10C8	P.O.A
10	10.0	BT10C10	P.O.A
10	12.0	BT10C12	P.O.A
16	5.0	BT16C5	P.O.A
16	6.0	BT16C6	P.O.A
16	8.0	BT16C8	P.O.A
16	10.0	BT16C10	P.O.A
16	12.0	BT16C12	P.O.A
25	5.0	BT25C5	P.O.A
25	6.0	BT25C6	P.O.A
25	8.0	BT25C8	P.O.A
25	10.0	BT25C10	P.O.A
25	12.0	BT25C12	P.O.A
35	6.0	BT35C6	P.O.A
35	8.0	BT35C8	P.O.A
35	10.0	BT35C10	P.O.A
35	12.0	BT35C12	P.O.A
50	6.0	BT50C6	P.O.A
50	8.0	BT50C8	P.O.A
50	10.0	BT50C10	P.O.A
50	12.0	BT50C12	P.O.A
70	6.0	BT70C6	P.O.A
70	8.0	BT70C8	P.O.A
70	10.0	BT70C10	P.O.A
70	12.0	BT70C12	P.O.A
70	16.0	BT70C16	P.O.A
95	8.0	BT95C8	P.O.A
95	10.0	BT95C10	P.O.A
95	12.0	BT95C12	P.O.A
95	16.0	BT95C16	P.O.A
120	10.0	BT120C10	P.O.A
120	12.0	BT120C12	P.O.A
120	16.0	BT120C16	P.O.A
120	20.0	BT120C20	P.O.A

**LOW VOLTAGE (600/1000 VOLTS) CABLE JOINTS**

Polyurethane 'twin pack' resin straight joints - including armour bond and 4 compression connectors.



Ref. No.	Cable(s)	Price £ each
PUJ2CC	4x4mm <sup>2</sup>	P.O.A
PUJ6CC	4x6mm <sup>2</sup>	P.O.A
PUJ10CC	4x10mm <sup>2</sup>	P.O.A
PUJ16CC	4x16mm <sup>2</sup>	P.O.A
PUJ25CC	4x25mm <sup>2</sup>	P.O.A
PUJ35CC	4x35mm <sup>2</sup>	P.O.A
PUJ50CC	4x50mm <sup>2</sup>	P.O.A
PUJ70CC	4x70mm <sup>2</sup>	P.O.A
PUJ95CC	4x95mm <sup>2</sup>	P.O.A
PUJ120CC	4x120mm <sup>2</sup>	P.O.A
PUJ150CC	4x150mm <sup>2</sup>	P.O.A
PUJ185CC	4x185mm <sup>2</sup>	P.O.A
PUJ240CC	4x240mm <sup>2</sup>	P.O.A
PUJ300CC	4x300mm <sup>2</sup>	P.O.A
PUJ400CC	4x400mm <sup>2</sup>	P.O.A

**LOW VOLTAGE (600/1000 VOLTS) CABLE JOINTS**

Polyurethane 'twin pack' resin straight joints - including armour bond. (Connectors not included).



Ref. No.	Max Cable Range	Price £ each
MPJ1	4x6mm <sup>2</sup>	P.O.A
MPJ2	4x10mm <sup>2</sup>	P.O.A
MPJ3	4x25mm <sup>2</sup>	P.O.A
MPJ4	4x50mm <sup>2</sup>	P.O.A
MPJ5	4x95mm <sup>2</sup>	P.O.A
MPJ6	4x185mm <sup>2</sup>	P.O.A
MPJ7	4x300mm <sup>2</sup>	P.O.A
MPJ8	4x400mm <sup>2</sup>	P.O.A

**BICASEAL - SOLID SETTING PUTTY**

Description	Ref. No.	Price £ each
0.5 Kg Pack	F70612-52	P.O.A



**ELECTRICAL WEATHERPROOF COMPOUND**

Ref. No.	Price £ each
R391	P.O.A

\* Note: P.O.A = Price On Application