

Trade Price List



July 2008

Trade Price List

Unitrunk Cable Trunking is manufactured to standards as described in BS4678 Part 1 1988 using high quality hot dipped galvanised sheet steel to BS EN 10142.

The requirements of a Cable Tray finish can vary. This can range from being purely cosmetic to a product with the capability to withstand highly corrosive environments. Unitrunk Cable Tray is manufactured in a wide range of finishes.

Pre-galvanised Cable Tray
Manufactured from high quality Pre-galvanised mild steel to BS EN10142 (standard references apply - page 9).

Post-galvanised Cable Tray
Manufactured from high quality hot dipped galvanised sheet steel to ISO EN 1461 (prefix reference with GA - page 10)

Epoxy Powder Coated
(prefix with EP)

Epoxy Polyester Coated
(prefix with PY)

Stainless Steel - (prefix with SS but please specify grade - 304, 316 etc.)

Other finishes are available on request including Aluminium - please call your local Unitrunk branch or distributor for details and pricing.

Contents

Cable Trunking

1 Cpt (50x50 to 150x150)	3
1 Cpt (200x50 to 300x150)	4
2 Cpt (50x50 to 150x150)	5
2 Cpt (200x50 to 300x150)	6
3 Cpt (75x50 to 150x150)	7
3 Cpt (200x50 to 300x150)	8

Cable/Lighting Trunking	8
& Bench Boxes	
Cable Tray (Pre-Galvanised)	9
Cable Tray (Galvanised)	10
Channel & Brackets	11 & 12
Spring Nuts, Rods & Fixings	13
Cable Ladder (SW4)	14
Cable Ladder (SW5)	15

Floor Trunking Systems	POA
Perimeter Systems	POA
Wire Tray Systems	POA
Floor Outlet Boxes	POA

Please Note: that in addition to those ranges priced in this brochure, Unitrunk also manufactures the following systems - many of which are in stock at your local Unitrunk branch (see back cover for branch locations).

Floor Trunking Systems
Floor Outlet Systems
Perimeter Trunking Systems
Steel Wire Cable Tray Systems
Special Trunking Systems
Metallic Conduit Systems

For made to order products - we will be delighted to advise price and delivery accordingly.

All prices quoted in £ Sterling.

STANDARD CABLE TRUNKING (50x50 - 150x150) SINGLE COMPARTMENT

PART No.	Description	50x50	75x50	75x75	100x50	100x75	100x100	150x50	150x75	150x100	150x150
	PART No. SIZE SUFFIX	22	32	33	42	43	44	62	63	64	66
TK/	Trunking 3m (c/w lid & coupler)	55.10	89.64	94.46	107.76	130.91	118.46	158.09	169.19	181.66	204.21
GSL/	Spare Lid 3m	33.67	44.54	44.54	55.65	55.65	55.65	75.94	75.94	75.94	75.94
TC/	Trunking Coupling	3.59	3.86	4.28	4.82	5.52	5.52	6.76	7.13	7.45	10.00
DF/	Dividing Fillet (Loose)	21.35	21.35	26.97	21.35	26.97	43.96	21.35	26.97	43.96	60.60

STANDARD CABLE TRUNKING ACCESSORIES (50x50mm - 150x150mm)

GTB/	90° Gusset Bend (Top Lid)	24.78	30.14	31.08	33.00	33.60	34.21	38.30	49.31	53.36	55.58
GIB/	90° Gusset Bend (Inside Lid)	24.78	30.14	31.08	33.00	33.60	34.21	38.30	49.31	53.36	55.58
GOB/	90° Gusset Bend (Outside Lid)	24.78	30.14	31.08	33.00	33.60	34.21	38.30	49.31	53.36	55.58
STE/	90° Sharp Elbow (Top Lid)	24.78	30.14	31.08	33.00	33.60	34.21	38.30	49.31	53.36	55.58
SIE/	90° Sharp Elbow (Inside Lid)	24.78	30.14	31.08	33.00	33.60	34.21	38.30	49.31	53.36	55.58
SOE/	90° Sharp Elbow (Outside Lid)	24.78	30.14	31.08	33.00	33.60	34.21	38.30	49.31	53.36	55.58
GTT/	Gusset Tee (Top lid)	29.22	35.81	36.31	37.65	41.48	42.08	48.06	58.73	66.26	69.06
GIT/	Gusset Tee (Inside Lid)	29.22	35.81	36.31	37.65	41.48	42.08	48.06	58.73	66.26	69.06
GOT/	Gusset Tee (Outside Lid)	29.22	35.81	36.31	37.65	41.48	42.08	48.06	58.73	66.26	69.06
STT/	Sharp Tee (Top Lid)	29.22	35.81	36.31	37.65	41.48	42.08	48.06	58.73	66.26	69.06
SIT/	Sharp Tee (Inside Lid)	29.22	35.81	36.31	37.65	41.48	42.08	48.06	58.73	66.26	69.06
SOT/	Sharp Tee (Outside Lid)	29.22	35.81	36.31	37.65	41.48	42.08	48.06	58.73	66.26	69.06
ITB/	Intersection (4 way)	36.43	47.11	53.38	62.15	64.69	64.69	71.88	79.14	85.41	88.22
TE/	45° Elbow (Top Lid)	24.78	30.14	31.08	33.00	33.60	34.21	38.30	49.31	53.36	55.58
IE/	45° Elbow (Inside Lid)	24.78	30.14	31.08	33.00	33.60	34.21	38.30	49.31	53.36	55.58
OE/	45° Elbow (Outside Lid)	24.78	30.14	31.08	33.00	33.60	34.21	38.30	49.31	53.36	55.58
RE	Reducer	0.00	34.86	38.01	38.63	39.90	41.48	44.28	54.33	59.97	66.89
FF/	Flared Flange	50.91	53.41	55.58	55.95	65.95	69.08	69.08	70.97	74.76	79.42
BE/	Blank End	4.15	4.49	4.86	4.93	6.16	7.55	8.06	9.19	9.73	11.02
FB/	Fire Barrier Clip	35.36	36.25	36.25	40.43	40.43	40.43	45.55	45.55	45.55	45.55
LCS/	Lid Clips (Strap and Stud)	1.23	1.50	1.50	1.57	1.57	1.57	2.71	2.71	2.71	2.71
FC/	Flanged Coupling	4.88	4.88	5.17	4.88	5.17	6.46	4.88	5.17	6.46	11.96
CS/	Cable Support	21.51	25.61	27.99	29.88	32.24	34.13	38.43	43.17	52.15	56.83
HBL/	Hanger (Specify 10mm or 20mm hole)	9.90	13.44	13.44	17.59	17.59	17.59	25.31	25.31	25.31	25.31
CES/	Earth Link (Copper) x 10	20.73	20.73	20.73	20.73	20.73	20.73	20.73	20.73	20.73	20.73
TCES/	Earth Link (Tinned Copper) x 10	24.18	24.18	24.18	24.18	24.18	24.18	24.18	24.18	24.18	24.18
CR/	Cable Retainer Strap x 10	17.28	17.28	17.28	21.98	21.98	21.98	21.98	21.98	21.98	21.98
STL1/	Socket Outlet (Single)	0.00	0.00	0.00	28.83	28.83	28.83	31.22	31.22	31.22	31.22
STL2/	Socket Outlet (Double)	0.00	0.00	0.00	30.85	30.85	30.85	34.44	34.44	34.44	34.44
TSN/	Trunking Screws & Nuts x 100	13.74	13.74	13.74	13.74	13.74	13.74	13.74	13.74	13.74	13.74
PES/	PVC Edging Strip - per metre	12.12	12.12	12.12	12.12	12.12	12.12	12.12	12.12	12.12	12.12

Nuts & bolts included where necessary - all above trunking and accessories can be supplied powder coated (POA)

04 Cable Trunking

STANDARD CABLE TRUNKING (200x50mm - 300x150mm) SINGLE COMPARTMENT

Part No	Description	200x50	200x100	225x50	225x75	225x100	225x150	225x225	300x50	300x75	300x100	300x150
	PART No SIZE SUFFIX	82	84	92	93	94	96	99	12x2	12x3	12x4	12x6
TK/	Trunking 3m (c/w lid & coupler)	209.26	229.76	211.12	212.38	231.82	363.45	490.36	375.38	391.54	400.69	458.58
GSL/	Spare Lid 3m	93.51	93.51	95.35	95.35	95.35	95.35	95.35	148.72	148.72	148.72	148.72
TC/	Trunking Coupling	8.80	9.65	8.80	9.22	9.45	12.14	22.09	11.36	12.28	13.27	18.39
DF/	Dividing Fillet (Loose)	21.35	43.96	21.35	26.97	43.96	60.60	89.93	21.35	26.97	43.96	60.60

STANDARD CABLE TRUNKING ACCESSORIES (200x50mm - 300x150mm)

GTB/	90° Gusset Bend (Top Lid)	69.70	94.81	69.70	86.33	94.81	145.74	170.21	113.66	120.56	123.39	169.79
GIB/	90° Gusset Bend (Inside Lid)	69.70	94.81	69.70	86.33	94.81	145.74	170.21	113.66	120.56	123.39	169.79
GOB/	90° Gusset Bend (Outside Lid)	69.70	94.81	69.70	86.33	94.81	145.74	170.21	113.66	120.56	123.39	169.79
STE/	90° Sharp Elbow (Top Lid)	69.70	94.81	69.70	86.33	94.81	145.74	170.21	113.66	120.56	123.39	169.79
SIE/	90° Sharp Elbow (Inside Lid)	69.70	94.81	69.70	86.33	94.81	145.74	170.21	113.66	120.56	123.39	169.79
SOE/	90° Sharp Elbow (Outside Lid)	69.70	94.81	69.70	86.33	94.81	145.74	170.21	113.66	120.56	123.39	169.79
GTT/	Gusset Tee (Top lid)	75.92	135.94	78.72	115.84	135.94	206.36	239.59	158.87	169.86	178.02	241.23
GIT/	Gusset Tee (Inside Lid)	75.92	135.94	78.72	115.84	135.94	206.36	239.59	158.87	169.86	178.02	241.23
GOT/	Gusset Tee (Outside Lid)	75.92	135.94	78.72	115.84	135.94	206.36	239.59	158.87	169.86	178.02	241.23
STT/	Sharp Tee (Top Lid)	75.92	135.94	78.72	115.84	135.94	206.36	239.59	158.87	169.86	178.02	241.23
SIT/	Sharp Tee (Inside Lid)	75.92	135.94	78.72	115.84	135.94	206.36	239.59	158.87	169.86	178.02	241.23
SOT/	Sharp Tee (Outside Lid)	75.92	135.94	78.72	115.84	135.94	206.36	239.59	158.87	169.86	178.02	241.23
ITB/	Intersection (4 way)	93.54	175.50	96.35	158.55	175.50	273.86	314.27	222.93	227.30	234.20	314.27
TE/	45° Elbow (Top Lid)	69.70	94.81	69.70	86.33	94.81	145.74	170.21	113.66	120.56	123.39	169.79
IE/	45° Elbow (Inside Lid)	69.70	94.81	69.70	86.33	94.81	145.74	170.21	113.66	120.56	123.39	169.79
OE/	45° Elbow (Outside Lid)	69.70	94.81	69.70	86.33	94.81	145.74	170.21	113.66	120.56	123.39	169.79
RE(alt)/	Reducer	79.11	116.47	79.11	96.09	116.47	164.88	190.63	131.54	135.94	138.77	190.63
FF/	Flared Flange	110.22	117.45	110.24	114.92	117.45	169.81	174.73	120.59	127.46	133.74	181.81
BE/	Blank End	20.15	25.01	20.57	21.46	25.60	38.76	46.51	34.35	40.13	47.33	54.39
FB/	Fire Barrier Clip	60.68	60.68	65.63	65.63	65.63	65.63	65.63	69.83	69.83	69.83	69.83
LCS/	Lid Clips (Strap and Stud)	2.71	2.71	2.71	2.71	2.71	2.71	2.71	2.71	2.71	2.71	2.71
FC/	Flanged Coupling	4.88	6.46	4.88	5.17	6.46	11.96	17.90	4.88	5.17	6.46	11.96
CS/	Cable Support	42.26	52.15	56.83	60.26	61.83	68.89	71.44	56.83	61.86	61.86	68.92
CES/	Earth Link (Copper) x 10	20.73	20.73	20.73	20.73	20.73	20.73	20.73	20.73	20.73	20.73	20.73
TCES/	Earth Link (Tinned Copper) X 10	24.18	24.18	24.18	24.18	24.18	24.18	24.18	24.18	24.18	24.18	24.18
CR/	Cable Retainer Strap x 10	37.05	37.05	40.85	40.85	40.85	40.85	40.85	48.43	48.43	48.43	48.43
STL1/	Socket Outlet (Single)	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA
STL2/	Socket Outlet (Double)	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA
TSN/	Trunking Screws & Nuts X 100	13.74	13.74	13.74	13.74	13.74	13.74	13.74	13.74	13.74	13.74	13.74
PES/	PVC Edging Strip - per (m)	12.12	12.12	12.12	12.12	12.12	12.12	12.12	12.12	12.12	12.12	12.12

Nuts & bolts included where necessary - all above trunking and accessories can be supplied powder coated (POA)

STANDARD CABLE TRUNKING (50x50mm - 150x150mm) - 2 COMPARTMENT

PART No.	Description	50x50	75x50	75x75	100x50	100x75	100x100	150x50	150x75	150x100	150x150
	PART No SIZE SUFFIX	22x2	32x2	33x2	42x2	43x2	44x2	62x2	63x2	64x2	66x2
TK/	Trunking 3m (c/w lid & coupler)	86.33	122.58	136.33	137.85	171.12	181.82	193.10	221.95	246.46	320.97
GSL/	Spare Lid 3m	33.67	44.54	44.54	55.65	55.65	55.65	75.94	75.94	75.94	75.94
TC/	Trunking Coupling	3.59	3.86	4.28	4.82	5.52	5.52	6.76	7.13	7.45	10.00
DF/	Dividing Fillet (Loose)	21.35	21.35	26.97	21.35	26.97	43.96	21.35	26.97	43.96	60.60

STANDARD CABLE TRUNKING ACCESSORIES (50x50mm - 150x150 mm) - 2 COMPARTMENT

GTB/	90° Gusset Bend (Top Lid)	31.68	37.65	38.93	41.11	41.76	43.33	47.72	58.71	63.43	66.27
GIB/	90° Gusset Bend (Inside Lid)	31.68	37.65	38.93	41.11	41.76	43.33	47.72	58.71	63.43	66.27
GOB/	90° Gusset Bend (Outside Lid)	31.68	37.65	38.93	41.11	41.76	43.33	47.72	58.71	63.43	66.27
STE/	90° Sharp Elbow (Top Lid)	31.68	37.65	38.93	41.11	41.76	43.33	47.72	58.71	63.43	66.27
SIE/	90° Sharp Elbow (Inside Lid)	31.68	37.65	38.93	41.11	41.76	43.33	47.72	58.71	63.43	66.27
SOE/	90° Sharp Elbow (Outside Lid)	31.68	37.65	38.93	41.11	41.76	43.33	47.72	58.71	63.43	66.27
GTT/	Gusset Tee (Top Lid)	41.76	43.96	49.61	50.58	55.24	56.53	66.58	78.51	87.91	89.47
GIT/	Gusset Tee (Inside Lid)	41.76	43.96	49.61	50.58	55.24	56.53	66.58	78.51	87.91	89.47
GOT/	Gusset Tee (Outside Lid)	41.76	43.96	49.61	50.58	55.24	56.53	66.58	78.51	87.91	89.47
STT/	Sharp Tee (Top Lid)	41.76	43.96	49.61	50.58	55.24	56.53	66.58	78.51	87.91	89.47
SIT/	Sharp Tee (Inside Lid)	41.76	43.96	49.61	50.58	55.24	56.53	66.58	78.51	87.91	89.47
SOT/	Sharp Tee (Outside Lid)	41.76	43.96	49.61	50.58	55.24	56.53	66.58	78.51	87.91	89.47
ITB/	Intersection (4 way)	57.16	67.21	53.78	85.07	88.86	89.79	101.44	109.91	120.59	126.26
TE/	45° Elbow (Top Lid)	31.68	37.65	38.93	41.11	41.76	43.33	47.72	58.71	63.43	66.27
IE/	45° Elbow (Inside Lid)	31.68	37.65	38.93	41.11	41.76	43.33	47.72	58.71	63.43	66.27
OE/	45° Elbow (Outside Lid)	31.68	37.65	38.93	41.11	41.76	43.33	47.72	58.71	63.43	66.27
RE(alt)/	Reducer	0.00	41.11	45.53	50.89	51.20	51.48	52.13	64.03	71.91	80.09
FF/	Flared Flange	50.91	53.41	55.58	55.95	65.95	69.08	69.08	70.97	74.76	79.42

Nuts & bolts included where necessary - all above trunking and accessories can be supplied powder coated (POA)

STANDARD CABLE TRUNKING (75x50mm - 150x150mm) - 3 COMPARTMENT

PART No.	Description	75X50	75X75	100X50	100x75	100x100	150X50	150X75	150X100	150X150
	PART No SIZE SUFFIX	32x3	33x3	42x3	43x3	44x3	62x3	63x3	64x3	66x3
TK/	Trunking 3m (c/w lid & coupler)	POA	POA	POA	POA	POA	216.02	251.18	291.99	POA
GSL/	Spare Lid 3m	POA	POA	POA	POA	POA	75.94	75.94	75.94	POA
TC/	Trunking Coupling	POA	POA	POA	POA	POA	6.76	7.13	7.45	POA
DF/	Dividing Fillet (Loose)	POA	POA	POA	POA	POA	21.35	26.97	43.96	POA

STANDARD CABLE TRUNKING ACCESSORIES (75x50mm - 150x150mm) - 3 COMPARTMENT

GTB/	90° Gusset Bend (Top Lid)	POA	POA	POA	POA	POA	53.70	65.29	70.64	POA
GIB/	90° Gusset Bend (Inside Lid)	POA	POA	POA	POA	POA	53.70	65.29	70.64	POA
GOB/	90° Gusset Bend (Outside Lid)	POA	POA	POA	POA	POA	53.70	65.29	70.64	POA
STE/	90° Sharp Elbow (Top Lid)	POA	POA	POA	POA	POA	53.70	65.29	70.64	POA
SIE/	90° Sharp Elbow (Inside Lid)	POA	POA	POA	POA	POA	53.70	65.29	70.64	POA
SOE/	90° Sharp Elbow (OutsideLid)	POA	POA	POA	POA	POA	53.70	65.29	70.64	POA
GTT/	Gusset Tee (Top Lid)	POA	POA	POA	POA	POA	69.41	81.62	91.36	POA
GIT/	GussetTee (Inside Lid)	POA	POA	POA	POA	POA	69.41	81.62	91.36	POA
GOT/	Gusset Tee (Outside Lid)	POA	POA	POA	POA	POA	69.41	81.62	91.36	POA
STT/	Sharp Tee (Top Lid)	POA	POA	POA	POA	POA	69.41	81.62	91.36	POA
SIT/	Sharp Tee (Inside Lid)	POA	POA	POA	POA	POA	69.41	81.62	91.36	POA
SOT/	Sharp Tee (Outside lid)	POA	POA	POA	POA	POA	69.41	81.62	91.36	POA
ITB/	Intersection (4 way)	POA	POA	POA	POA	POA	104.88	113.36	125.61	POA
TE/	45° Elbow (Top Lid)	POA	POA	POA	POA	POA	53.70	65.29	70.64	POA
IE/	45° Elbow (Inside Lid)	POA	POA	POA	POA	POA	53.70	65.29	70.64	POA
OE/	45° Elbow (Outside Lid)	POA	POA	POA	POA	POA	53.70	65.29	70.64	POA
RE(alt)/	Reducer		POA	POA	POA	POA	53.70	65.93	86.99	POA
FF/	Flared Flange	POA	POA	POA	POA	POA	69.08	70.97	74.76	POA

08 Cable/Lighting Trunking & Bench Boxes

STANDARD CABLE TRUNKING (200x50mm - 300x150mm) - 3 COMPARTMENT

PART No	Description	200x75	200x100	225x50	225x75	225x100	225x150	300x50	300x75	300x100	300x150
	PART No SIZE SUFFIX	82x3	84x3	92x3	93x3	94x3	96x3	12x2x3	12x3x3	12x4x3	12x6x3
TK/	Trunking 3m (c/w lid & coupler)	POA	POA	289.39	304.95	POA	POA	POA	POA	561.11	POA
GSL/	Spare Lid 3m	POA	POA	93.51	93.51	POA	POA	POA	POA	148.72	POA
TC/	Trunking Coupling	POA	POA	8.80	9.22	POA	POA	POA	POA	13.27	POA
DF/	Dividing Fillet (Loose)	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA

STANDARD CABLE TRUNKING ACCESSORIES (200x50mm - 300x150mm) - 3 COMPARTMENT

GTB/	90° Gusset Bend (Top Lid)	POA	POA	148.29	159.30	POA	POA	POA	POA	172.62	POA
GIB/	90° Gusset Bend (Inside Lid)	POA	POA	148.29	159.30	POA	POA	POA	POA	172.62	POA
GOB/	90° Gusset Bend (Outside Lid)	POA	POA	148.29	159.30	POA	POA	POA	POA	172.62	POA
STE/	90° Sharp Elbow (Top Lid)	POA	POA	148.29	159.30	POA	POA	POA	POA	172.62	POA
SIE/	90° Sharp Elbow (Inside Lid)	POA	POA	148.29	159.30	POA	POA	POA	POA	172.62	POA
SOE/	90° Sharp Elbow (Outside Lid)	POA	POA	148.29	159.30	POA	POA	POA	POA	172.62	POA
GTT/	Gusset Tee (Top Lid)	POA	POA	247.13	279.09	POA	POA	POA	POA	328.41	POA
GIT/	Gusset Tee (Inside Lid)	POA	POA	247.13	279.09	POA	POA	POA	POA	328.41	POA
GOT/	Gusset Tee (Outside Lid)	POA	POA	247.13	279.09	POA	POA	POA	POA	328.41	POA
STT/	Sharp Tee (Top Lid)	POA	POA	247.13	279.09	POA	POA	POA	POA	328.41	POA
SIT/	Sharp Tee (Inside Lid)	POA	POA	247.13	279.09	POA	POA	POA	POA	328.41	POA
SOT/	Sharp Tee (Outside lid)	POA	POA	247.13	279.09	POA	POA	POA	POA	328.41	POA
ITB/	Intersection (4 way)	POA	POA	334.36	357.77	POA	POA	POA	POA	381.50	POA
TE/	45° Elbow (Top Lid)	POA	POA	148.29	159.30	POA	POA	POA	POA	172.62	POA
IE/	45° Elbow (Inside Lid)	POA	POA	148.29	159.30	POA	POA	POA	POA	172.62	POA
OE/	45° Elbow (Outside Lid)	POA	POA	148.29	159.30	POA	POA	POA	POA	172.62	POA
RE(alt)/	Reducer	POA	POA	129.04	136.30	POA	POA	POA	POA	153.52	POA
FF/	Flared Flange	POA	POA	122.77	114.92	POA	POA	POA	POA	146.30	POA

LIGHTING TRUNKING

(Standard TK22 cable trunking accessories are fully compatible with lighting trunking)

PART No.	Description	50X50
	PART No.	22
LT/22/3M	Lighting Trunking (3m) (Excluding Lid & Long Coupling)	31.77
LT/22/4.5M	Lighting Trunking (4.5m) (Excluding Lid & Long Coupling)	47.64
LT/22/6M	Lighting Trunking (6m) (Excluding Lid & long Coupling)	63.25
HBL/22	Hanger (see Cable Trunking section for pricing)	0.00
FSL/22	Fitting Suspension Assembly x 10	41.66
BCA/22	Beam Clamp A	23.43
WBC/22	Window Beam Clamp	8.31
BCZ/22	Beam Clamp Z	31.45
BEL/22	Blank End	3.31
LCL/22	Long Coupling	5.82
KLS/22	Klick Lid Section	11.00
GCL	Galvanised Steel Lid (2m)	8.99
WPL	White Plastic Lid (3m)	12.62

BENCH OUTLET BOXES

(Standard finish - Powder Coated White)

PART No.	Description	
BS1	Single Box (1 gang)	18.07
BS2	Double Box (1 gang)	29.99
BS3	Single Box (Double gang)	24.58
BS4	Double Box (Double gang)	43.05
BS5	Single Box (2x 1 gang)	54.82
BS6	Double Box (2 x 1 gang)	62.85
BSDFA	Dividing Fillet for BS2, 5 and 6	17.69
BS DFB	Dividing Fillet for BS4	17.90

Nuts & bolts included where necessary - all above trunking & accessories can be supplied powder coated (POA)

Cable Tray (Pre-galvanised) 09

TYPE 'LD' LIGHT DUTY Please note: LD tray lengths up to 225mm supplied with integral couplers

PART No.	Description	LD50	LD75	LD100	LD150	LD225	LD300	LD450	LD600	LD750	LD900
T	Tray - 3m	29.38	37.70	47.50	63.80	121.43	169.49	258.26	435.78	POA	POA
IR	Internal Riser 90°	33.89	37.38	44.28	59.36	80.98	87.61	161.07	205.64	POA	POA
ER	External Riser 90°	33.89	37.38	44.28	59.36	80.98	87.61	161.07	205.64	POA	POA
FB	Flat Bend 90°	19.15	20.07	21.35	26.70	37.38	59.36	107.37	170.80	POA	POA
ET	Equal Tee	28.86	30.15	32.03	41.76	59.97	89.19	156.35	231.72	POA	POA
FB45	Flat Bend 45°	19.15	20.07	21.35	26.70	37.38	59.36	107.37	170.80	POA	POA
FW	Four Way	44.56	45.53	48.68	61.23	88.22	129.96	237.05	316.16	POA	POA
SR	Straight Reducer	N/A	38.30	41.76	57.45	78.81	102.99	169.85	218.18	POA	POA
SC	Straight Coupler (per pair)	5.30	5.30	5.30	5.30	5.30	5.30	5.30	5.30	POA	POA
CC	Cranked Coupler (per pair)	5.30	5.30	5.30	5.30	5.30	5.30	5.30	5.30	POA	POA
FP	Fishplate Connector	0.00	POA	POA	POA	13.22	14.13	15.38	17.58	POA	POA

TYPE 'MR' MEDIUM DUTY - 25mm RETURN FLANGE

PART No.	Description	MR50	MR75	MR100	MR150	MR225	MR300	MR450	MR600	MR750	MR900
T	Tray - 3m	50.23	55.82	62.64	79.83	104.77	177.23	242.21	374.18	POA	POA
IR	Internal Riser 90°	51.71	57.45	66.58	73.48	86.99	101.11	163.27	207.82	POA	POA
ER	External Riser 90°	51.71	57.45	66.58	73.48	86.99	101.11	163.27	207.82	POA	POA
IR45	Internal Riser 45°	51.71	57.45	66.58	73.48	86.99	101.11	163.27	207.82	POA	POA
ER45	External Riser 45°	51.71	57.45	66.58	73.48	86.99	101.11	163.27	207.82	POA	POA
FB	Flat Bend 90°	91.84	102.04	107.37	117.13	138.77	172.67	241.76	321.19	POA	POA
ET	Equal Tee	128.57	142.84	147.24	157.32	174.24	225.75	306.76	460.57	POA	POA
HB	Flat Bend 45°	91.84	102.04	107.37	117.13	138.77	172.67	241.76	321.19	POA	POA
FW	Four Way	186.22	206.90	214.45	225.75	283.50	330.61	453.05	697.63	POA	POA
SR	Straight Reducer	N/A	54.49	57.45	63.71	76.94	102.04	141.61	174.57	POA	POA
SC	Straight Coupler (per pair)	12.23	12.23	12.23	12.23	12.23	12.23	12.23	12.23	POA	POA
CC	Cranked Coupler (per pair)	12.23	12.23	12.23	12.23	12.23	12.23	12.23	12.23	POA	POA
FP	Fishplate Connector	0.00	POA	POA	POA	13.22	14.13	15.38	17.58	POA	POA

TYPE 'HR' HEAVY - 50mm RETURN FLANGE

PART No.	Description	HR75	HR100	HR150	HR225	HR300	HR450	HR600	HR750	HR900
T	Tray - 3m	108.34	110.12	124.97	156.71	180.50	328.59	461.88	POA	POA
IR	Internal Riser 90°	101.71	109.91	119.01	130.93	135.62	217.57	277.54	POA	POA
ER	External Riser 90°	101.71	109.91	119.01	130.93	135.62	217.57	277.54	POA	POA
IR45	Internal Riser 45°	101.71	109.91	119.01	130.93	135.62	217.57	277.54	POA	POA
ER45	External Riser 45°	101.71	109.91	119.01	130.93	135.62	217.57	277.54	POA	POA
FB	Flat Bend 90°	131.87	147.87	164.82	185.27	196.85	342.84	482.55	POA	POA
ET	Equal Tee	166.71	184.00	205.64	235.46	257.45	405.64	579.59	POA	POA
HB	Flat Bend 45°	131.87	147.87	164.82	185.27	196.85	342.84	482.55	POA	POA
FW	Four Way	245.23	265.00	308.61	370.49	396.54	604.69	889.47	POA	POA
SR	Straight Reducer	N/A	83.53	95.44	111.78	137.19	209.10	245.53	POA	POA
SC	Straight Coupler (per pair)	16.95	16.95	16.95	16.95	16.95	16.95	16.95	POA	POA
CC	Cranked Coupler (per pair)	16.95	16.95	16.95	16.95	16.95	16.95	16.95	POA	POA
FP	Fishplate Connector	POA	POA	POA	13.22	14.13	15.38	17.58	POA	POA

Note: couplers, screws, nuts and washers are not included, unless stated

STAND OFF BRACKETS (PRE-GALVANISED)

PART No.	SOB2	SOB3	SOB4	SOB6	SOB9	SOB12	SOB18	SOB24
	10.89	11.61	12.34	13.06	17.42	21.77	30.48	71.12

OVERHEAD TRAY HANGERS (PRE-GALVANISED)

PART No.	OH3	OH4	OH6	OH9	OH12
	30.48	33.38	37.74	52.25	65.31

Please Note: pre-galvanised cable tray manufactured to BS EN 10147

10 Cable Tray (Galvanised)

TYPE 'LD' LIGHT DUTY Please Note: LD tray lengths up to 225mm supplied with integral couplers

Part No	Description	GALD50	GALD75	GALD100	GALD150	GALD225	GALD300	GALD450	GALD600	GALD750	GALD900
T	Tray - 3m	48.11	56.69	63.80	82.82	131.19	205.69	330.69	453.28	POA	POA
IR	Internal Riser 90°	50.89	58.08	67.49	92.31	119.94	161.36	215.37	277.54	POA	POA
ER	External Riser 90°	50.89	58.08	67.49	92.31	119.94	161.36	215.37	277.54	POA	POA
FB	Flat Bend 90°	23.87	24.80	31.08	32.32	49.31	71.28	122.14	196.22	POA	POA
ET	Equal Tee	33.89	35.78	40.50	46.78	71.28	93.23	183.05	257.45	POA	POA
FB45	Flat Bend 45°	23.87	24.80	31.08	32.32	49.31	71.28	122.14	196.22	POA	POA
FW	Four Way	48.03	49.58	56.53	65.93	95.44	145.36	251.15	343.51	POA	POA
SR	Straight Reducer	N/A	45.85	51.81	72.51	96.09	127.15	196.85	241.10	POA	POA
SC	Straight Coupler (per pair)	5.65	5.65	5.65	5.65	5.65	5.65	5.65	5.65	POA	POA
CC	Cranked Coupler (per pair)	5.65	5.65	5.65	5.65	5.65	5.65	5.65	5.65	POA	POA
FP	Fishplate Connector	0.00	POA	POA	POA	15.17	16.24	17.71	20.22	POA	POA

TYPE 'MR' MEDIUM DUTY - 25mm RETURN FLANGE

Part No	Description	GAMR50	GAMR75	GAMR100	GAMR150	GAMR225	GAMR300	GAMR450	GAMR600	GAMR750	GAMR900
T	Tray - 3m	71.59	79.54	89.35	113.41	136.26	202.75	309.28	489.50	POA	POA
IR	Internal Riser 90°	62.43	69.41	71.28	88.22	102.04	114.92	181.82	219.06	POA	POA
ER	External Riser 90°	62.43	69.41	71.28	88.22	102.04	114.92	181.82	219.06	POA	POA
IR45	Internal Riser 45°	62.43	69.41	71.28	88.22	102.04	114.92	181.82	219.06	POA	POA
ER45	External Riser 45°	62.43	69.41	71.28	88.22	102.04	114.92	181.82	219.06	POA	POA
FB	Flat Bend 90°	97.48	110.47	117.74	127.00	152.27	196.22	312.72	385.22	POA	POA
ET	Equal Tee	137.01	151.28	155.72	172.04	191.20	243.65	337.79	508.63	POA	POA
HB	Flat Bend 45°	97.48	110.47	117.74	127.00	152.27	196.22	312.72	385.22	POA	POA
FW	Four Way	200.26	215.32	228.55	245.53	305.48	366.71	486.64	742.21	POA	POA
SR	Straight Reducer	N/A	65.17	67.49	76.94	94.51	114.92	158.87	205.64	POA	POA
SC	Straight Coupler (per pair)	13.25	13.25	13.25	13.25	13.25	13.25	13.25	13.25	POA	POA
CC	Cranked Coupler (per pair)	13.25	13.25	13.25	13.25	13.25	13.25	13.25	13.25	POA	POA
FP	Fishplate Connector	0.00	POA	POA	POA	15.17	16.24	17.71	20.22	POA	POA

TYPE 'HR' HEAVY DUTY - 50mm RETURN FLANGE

Part No	Description	GAHR75	GAHR100	GAHR150	GAHR225	GAHR300	GAHR450	GAHR600	GAHR750	GAHR900
T	Tray - 3m	157.61	170.67	199.76	227.09	281.10	437.56	535.20	POA	POA
IR	Internal Riser 90°	111.78	119.94	142.84	162.67	181.82	246.14	313.01	POA	POA
ER	External Riser 90°	111.78	119.94	142.84	162.67	181.82	246.14	313.01	POA	POA
IR45	Internal Riser 45°	111.78	119.94	142.84	162.67	181.82	246.14	313.01	POA	POA
ER45	External Riser 45°	111.78	119.94	142.84	162.67	181.82	246.14	313.01	POA	POA
FB	Flat Bend 90°	140.97	166.71	181.17	210.99	247.40	385.22	531.24	POA	POA
ET	Equal Tee	180.22	210.05	236.73	283.50	312.72	486.64	665.92	POA	POA
HB	Flat Bend 45°	140.97	166.71	181.17	210.99	247.40	385.22	531.24	POA	POA
FIN	Four Way	258.39	270.64	353.49	414.45	472.21	714.58	1,006.24	POA	POA
SR	Straight Reducer	N/A	120.86	127.15	151.02	174.24	269.70	305.48	POA	POA
SC	Straight Coupler (per pair)	19.78	19.78	19.78	19.78	19.78	19.78	19.78	POA	POA
CC	Cranked Coupler (per pair)	19.78	19.78	19.78	19.78	19.78	19.78	19.78	POA	POA
FP	Fishplate Connector	POA	POA	POA	15.17	16.24	17.71	20.22	POA	POA

Note: Couplers, screws, nuts and washers are not included, unless stated.

STAND OFF BRACKETS (GALVANISED)

Part No.	GASOB2	GASOB3	GASOB4	GASOB6	GASOB9	GASOB12	GASOB18	GASOB24
	14.51	15.24	15.61	16.69	23.22	33.38	39.19	101.60

OVERHEAD TRAY HANGERS (GALVANISED)

Part No.	GAOH3	GAOH4	GAOH6	GAOH9	GAOH12
	56.60	60.96	71.12	75.47	89.99

FISHPLATES: We recommend that for trays of 225mm or greater width, fishplate connectors be used at joints in addition to couplers - unless tray is otherwise supported. These fishplate connectors are priced separately and not included in the price of tray lengths.

Please Note: galvanised cable tray manufactured to ISO EN 1461

SUPPORT CHANNEL

Part Number	Description	Per Lth
UC4141/3	Deep Channel (3m)	90.40
UC4141/6	Deep Channel (6m)	180.80
GAUC4141/3	Deep Channel (3m)	POA
GAUC4141/6	Deep Channel (6m)	POA
UC4121/3	Shallow Channel (3m)	74.54
UC4121/6	Shallow Channel (6m)	149.08
GAUC4121/3	Shallow Channel (3m)	POA
GAUC4121/6	Shallow Channel (6m)	POA
UC4182/3	Back to Back Deep (3m)	253.76
UC4182/6	Back to Back Deep (6m)	507.52
GAUC4182/3	Back to Back Deep (3m)	POA
GAUC4182/6	Back to Back Deep (6m)	POA
UC4142/3	Back to Back Shallow (3m)	225.21
UC4142/6	Back to Back Shallow (6m)	450.42
GAUC4142/3	Back to Back Shallow (3m)	POA
GAUC4142/6	Back to Back Shallow (6m)	POA
UC4141S/3	Slotted Deep Channel (3m)	90.40
UC4141S/6	Slotted Deep Channel (6m)	180.80
GAUC4141S/3	Slotted Deep Channel (3m)	POA
GAUC4141S/6	Slotted Deep Channel (6m)	POA
UC4121S/3	Slotted Shallow Channel (3m)	76.13
UC4121S/6	Slotted Shallow Channel (6m)	152.26
GAUC4121S/3	Slotted Shallow Channel (3m)	POA
GAUC4121S/6	Slotted Shallow Channel (6m)	POA

GA - Post galvanising price on application

CHANNEL CAPS & COVER STRIPS

Part Number	Description	Each
325AA11	End Cap Shallow (Black PVC)	1.74
325AA13	End Cap Shallow (White PVC)	1.74
325AA10	End Cap Deep (Black PVC)	1.79
325AA12	End Cap Deep (White PVC)	1.79
339AA10	Cover Strip (White PVC) - 3m	20.62
339AB10	Cover Strip (pre Galvanised) - 3m	41.24

CANTILEVER ARMS

Part Number	Description	Each
340AH10	2 Hole 150mm Arm	33.31
340AH11	2 Hole 300mm Arm	38.06
340AH12	2 Hole 450mm Arm	44.41
340AH13	2 Hole 600mm Arm	55.51
340AH14	2 Hole 750mm Arm	68.20
340AH15	2 Hole 900mm Arm	82.47

BEAM CLAMPS

Part Number	Description	Each
325AL09	Beam Clamp (Back to Back)	16.65
325AL10	Beam Clamp Deep (c/w cone point)	15.07
325AL11	Beam Clamp Shallow (c/w cone point)	15.07
325AM10	Beam Clamp Deep (c/w nuts)	17.45
325AM12	Beam Clamp (Back to Back) (c/w nuts)	18.24
325AM13	Heavy Duty Beam Clamp (25mm max)	34.89
325AP10	Z Beam Clamp (c/w cone point)	11.10
325AP11	Beam Clamp	7.93
325AX10	Beam Clamp	16.65
325AX11	Beam Clamp	11.10

12 Channel & Brackets

SUPPORT BRACKETS

Part Number	Description	Each
325AB10	Cross Support Bracket (130x49/6hole)	30.93
325AC09	Right Angle Bracket (43x99/3 hole)	9.13
325AC10	Right Angle Bracket (55x87/3 hole)	9.13
325AC11	Three hole plate	7.93
325AC12	Deep Z Bracket	11.10
325AC13	Four hole plate	9.13
325AD10	Right Angle Bracket (43x55/2 hole)	7.14
325AD11	Two hole plate	6.75
325AD17	Obtuse Angle Bracket 45°	10.31
325AD28	Shallow Z Bracket	9.13
325AE10	Right Angle Bracket (55x131/4 hole)	10.71
325AE11	Right Angle Bracket (100x87/4 hole)	10.71
325AE12	Right Angle Shelf Bracket (4 hole)	26.96
325AF10	T Channel Support Bracket	13.88
325AF11	L/H Channel Support Bracket	13.88
325AF12	R/H Channel Support Bracket	13.88
325AF13	T Bracket (132x80 Four hole)	13.88
325AF14	T Angle Bracket 45°	13.88
325AG10	L Bracket (80x80 Three hole)	10.71
325AG15	Channel Support Bracket R/H	18.24
325AG16	Channel Support Bracket L/H	18.24
325AH11	Acute Angle Bracket 45°	10.71
325AJ11	Double Channel Bracket	19.03
325AJ12	Deep U Bracket	13.48
325AJ13	Shallow U Bracket	12.69
325AJ14	Multi Channel Bracket	18.64
325AK10	Deep External Connector	33.31
325AK11	Shallow External Connector	29.34
325AK13	Internal Connector (no screws)	31.33
325AN10	Single Channel Base Plate	26.17
325AQ10	Right Angle Bracket (120x47x89/5 hole)	19.03
325AQ11	Right Angle Bracket (80x41x140/5 hole)	19.03

SUPPORT BRACKETS

Part Number	Description	Each
325AQ12	Right Angle Bracket (80x41x95/4 hole)	15.86
325AR10	Single Channel Base Plate (hole)	26.96
325AS10	Right Angle Bracket (51x51/2 hole)	5.55
325AT10	Double Channel Base Plate (hole)	52.34
325AT11	Back to Back Bracket (50x96)	12.69
325AU10	Multiple Z Bracket	14.27
325AV02	3 Way Corner Bracket	17.45
325AV09	Three Leg Wing Fitting	30.93
325AV10	Two Leg Wing Fitting	28.55
325AW01	Wing Fitting with Gussets	57.10
325AW02	Double Channel Wing Fitting	61.85
325AW04	Short Wing Fitting 2 Channel	57.10
325AY10	Five hole plate	11.90
336AB08	Internal Connector (c/w set screws)	15.86
336AB10	Internal Connector (clearance holes only)	15.07
389AH10(PD)	Z Purlin Clip (M10 hole)	3.49
UCM10/CPB	Cone pointed bolts (M10x40)	1.28

SQUARE WASHERS

Part Number	Description	Per 100
325AJ03	Square Washers (8mm hole)	182.39
325AJ05	Square Washers (10mm hole)	182.39
325AJ07	Square Washers (12mm hole)	182.39
325AJ10	Square Washers (14mm hole)	182.39

All of the above products are available in 316 grade stainless steel

LONG SPRING CHANNEL NUTS

Part Number	Description	Per 100
UCM6/L	M6mm	98.09
UCM8/L	M8mm	102.48
UCM10/L	M10mm	117.12
UCM12/L	M12mm	139.08

SHORT SPRING CHANNEL NUTS

Part Number	Description	Per 100
UCM6/S	M6mm	98.09
UCM8/S	M8mm	102.48
UCM10/S	M10mm	117.12
UCM12/S	M12mm	139.08

NUTS LESS SPRING

Part Number	Description	Per 100
UCM6/N	M6mm	80.52
UCM8/N	M8mm	92.23
UCM10/N	M10mm	95.16
UCM12/N	M12mm	114.19

THREADED ROD AND FIXINGS

Part Number	Description	Each
M6/R3	Threaded Rod 6mm (3m length)	10.53
M8/R3	Threaded Rod 8mm (3m length)	12.96
M10/R3	Threaded Rod 10mm (3m length)	21.06
M12/R3	Threaded Rod 12mm (3m length)	35.64

ROD JOINERS

Part Number	Description	Per 100
M6/RJ	Jod Joiners (M6mm)	144.18
M8/RJ	Jod Joiners (M8mm)	160.38
M10/RJ	Jod Joiners (M10mm)	202.50
M12/RJ	Jod Joiners (M12mm)	234.90

WEDGE NUTS

Part Number	Description	Per 100
M6WN	Wedge Nut (M6mm)	239.76
M8WN	Wedge Nut (M8mm)	239.76
M10WN	Wedge Nut (M10mm)	239.76

FIXINGS

Part Number	Description	Per 100
M6/A	Drop In Anchors (M6mm)	132.84
M6FW	Flat Washers Z.P (M6mm)	10.54
M6HN	Full Hexagonal Nut Z.P (M6mm)	9.72
M6HS20	Set Screws Z.P (M6mmx20mm)	26.74
M6HS25	Set Screws Z.P (M6mmx25mm)	27.54
M6HS30	Set Screws Z.P (M6mmx30mm)	28.36
M6HS35	Set Screws Z.P (M6mmx35mm)	29.16
M6HS40	Set Screws Z.P (M6mmx40mm)	29.98
M6MW	Mudguard Washers (M6mm)	22.68
M8/A	Drop In Anchors (M8mm)	149.04
M8FW	Flat Washers Z.P (M8mm)	11.34
M8HN	Full Hexagonal Nut Z.P (M8mm)	13.78
M8HS20	Set Screws Z.P (M8mmx20mm)	30.78
M8HS25	Set Screws Z.P (M8mmx25mm)	32.40
M8HS30	Set Screws Z.P (M8mmx30mm)	37.26
M8HS35	Set Screws Z.P (M8mmx35mm)	42.12
M8HS40	Set Screws Z.P (M8mmx40mm)	46.98
M8MW	Mudguard Washers (M8mm)	22.68
M10/A	Drop In Anchors (M10mm)	194.40
M10FW	Flat Washers Z.P (M10mm)	14.58
M10HN	Full Hexagonal Nut Z.P (M10mm)	27.54
M10HS20	Set Screws Z.P (M10mmx20mm)	53.46
M10HS25	Set Screws Z.P (M10mmx25mm)	58.32
M10HS30	Set Screws Z.P (M10mmx30mm)	59.94
M10HS35	Set Screws Z.P (M10mmx35mm)	61.56
M10HS40	Set Screws Z.P (M10mmx40mm)	63.18
M10MW	Mudguard Washers (M10mm)	22.68
M12/A	Drop In Anchors (M12mm)	307.80
M12FW	Flat Washers Z.P (M12mm)	19.44
M12HN	Full Hexagonal Nut Z.P (M12mm)	37.26
M12HS20	Set Screws Z.P (M12mmx20mm)	113.40
M12HS25	Set Screws Z.P (M12mmx25mm)	116.64
M12HS30	Set Screws Z.P (M12mmx30mm)	118.26
M12HS35	Set Screws Z.P (M12mmx35mm)	119.88
M12HS40	Set Screws Z.P (M12mmx40mm)	121.50
M12MW	Mudguard Washers (M12mm)	29.16
NBM6x12	Roofing Bolt & Nuts (M6x12mm)	21.06
NBM6x16	Roofing Bolt & Nuts (M6x16mm)	22.68
NBM6x20	Roofing Bolt & Nuts (M6x20mm)	24.30
NBM6x25	Roofing Bolt & Nuts (M6x25mm)	25.92
NBM6x30	Roofing Bolt & Nuts (M6x30mm)	27.54
NBM6x35	Roofing Bolt & Nuts (M6x35mm)	29.16
NBM6x40	Roofing Bolt & Nuts (M6x40mm)	30.78

14 Speedway Cable Ladders

SPEEDWAY CABLE LADDER SW4

NB: Part No. Prefix: SW4 = 100mm high (SW6 = 150mm POA)

Part Number	Description	Price
SW4/SL/150/G	Straight Ladder 150mm x3m	97.98
SW4/SL/300/G	Straight Ladder 300mm x3m	109.02
SW4/SL/450/G	Straight Ladder 450mm x3m	118.68
SW4/SL/600/G	Straight Ladder 600mm x3m	126.96
SW4/SL/750/G	Straight Ladder 750mm x3m	166.98
SW4/SL/900/G	Straight Ladder 900mm x3m	179.40
SW4/FE90/150/300/G	Flat Bend 90° 150mm	85.56
SW4/FE90/300/300/G	Flat Bend 90° 300mm	95.22
SW4/FE90/450/300/G	Flat Bend 90° 450mm	111.78
SW4/FE90/600/300/G	Flat Bend 90° 600mm	129.72
SW4/FE90/750/300/G	Flat Bend 90° 750mm	155.94
SW4/FE90/900/300/G	Flat Bend 90° 900mm	180.78
SW4/FE45/150/300/G	Flat Bend 45° 150mm	77.28
SW4/FE45/300/300/G	Flat Bend 45° 300mm	85.56
SW4/FE45/450/300/G	Flat Bend 45° 450mm	100.74
SW4/FE45/600/300/G	Flat Bend 45° 600mm	117.30
SW4/FE45/750/300/G	Flat Bend 45° 750mm	140.76
SW4/FE45/900/300/G	Flat Bend 45° 900mm	162.84
SW4/ET/150/300/G	Equal Tee 150mm	158.70
SW4/ET/300/300/G	Equal Tee 300mm	173.88
SW4/ET/450/300/G	Equal Tee 450mm	191.82
SW4/ET/600/300/G	Equal Tee 600mm	216.66
SW4/ET/750/300/G	Equal Tee 750mm	314.64
SW4/ET/900/300/G	Equal Tee 900mm	329.82
SW4/IR/150/300/G	Internal Riser 150mm	136.62
SW4/IR/300/300/G	Internal Riser 300mm	147.66
SW4/IR/450/300/G	Internal Riser 450mm	158.70
SW4/IR/600/300/G	Internal Riser 600mm	178.02
SW4/IR/750/300/G	Internal Riser 750mm	193.20

Part Number	Description	Price
SW4/IR/900/300/G	Internal Riser 900mm	211.14
SW4/ER/150/300/G	External Riser 150mm	136.62
SW4/ER/300/300/G	External Riser 300mm	147.66
SW4/ER/450/300/G	External Riser 450mm	158.70
SW4/ER/600/300/G	External Riser 600mm	178.02
SW4/ER/750/300/G	External Riser 750mm	193.20
SW4/ER/900/300/G	External Riser 900mm	211.14
SW4/C/150/300/G	Cross 150mm	251.16
SW4/C/300/300/G	Cross 300mm	264.96
SW4/C/450/300/G	Cross 450mm	282.90
SW4/C/600/300/G	Cross 600mm	310.50
SW4/C/750/300/G	Cross 750mm	411.24
SW4/C/900/300/G	Cross 900mm	441.60
SW4/RS/300/150/G	Straight Reducer 300mm	110.40
SW4/RS/450/300/G	Straight Reducer 450mm	118.68
SW4/RS/600/300/G	Straight Reducer 600mm	132.48
SW4/RS/750/300/G	Straight Reducer 750mm	149.04
SW4/RS/900/300/G	Straight Reducer 900mm	164.22

CABLE LADDER ACCESSORIES

SW/AFB/G	Adjustable Fixing Bracket (each)	8.56
SW/EFC/G	External Flange Clamp (each)	3.86
SW4/CS/G	Straight Coupler (pair)	17.94
SW4/5/VAC/G	Verticle (Adj) Coupler (each)	26.22
SW4/5/HAC/G	Horizontal (Adj) Coupler (each)	24.84
SW4/HDB/G	Hold Down Bracket (each)	8.42
EBS	Earth Braid (each)	11.39

PLEASE NOTE:

All Ladder accessories are supplied with a 300mm radius as standard - other radii available on request

SPEEDWAY 6 system (SW6) = 150mm sidewall - POA

All Cable Ladder systems (SW4, SW5 & SW6) available in numerous special finishes - POA

SPEEDWAY CABLE LADDER SW5

NB: Part No. Prefix: SW5 = 125mm high (SW6 = 150mm POA)

Part Number	Description	Price
SW5/SL/150/G	Straight Ladder 150mm x3m	139.38
SW5/SL/300/G	Straight Ladder 300mm x3m	154.56
SW5/SL/450/G	Straight Ladder 450mm x3m	166.98
SW5/SL/600/G	Straight Ladder 600mm x3m	179.40
SW5/SL/750/G	Straight Ladder 750mm x3m	231.84
SW5/SL/900/G	Straight Ladder 900mm x3m	259.44
SW5/FE90/150/300/G	Flat Bend 90° 150mm	106.26
SW5/FE90/300/300/G	Flat Bend 90° 300mm	115.92
SW5/FE90/450/300/G	Flat Bend 90° 450mm	129.72
SW5/FE90/600/300/G	Flat Bend 90° 600mm	154.56
SW5/FE90/750/300/G	Flat Bend 90° 750mm	176.64
SW5/FE90/900/300/G	Flat Bend 90° 900mm	202.86
SW5/FE45/150/300/G	Flat Bend 45° 150mm	95.22
SW5/FE45/300/300/G	Flat Bend 45° 300mm	104.88
SW5/FE45/450/300/G	Flat Bend 45° 450mm	117.30
SW5/FE45/600/300/G	Flat Bend 45° 600mm	139.38
SW5/FE45/750/300/G	Flat Bend 45° 750mm	158.70
SW5/FE45/900/300/G	Flat Bend 45° 900mm	182.16
SW5/ET/150/300/G	Equal Tee 150mm	168.36
SW5/ET/300/300/G	Equal Tee 300mm	200.10
SW5/ET/450/300/G	Equal Tee 450mm	227.70
SW5/ET/600/300/G	Equal Tee 600mm	260.82
SW5/ET/750/300/G	Equal Tee 750mm	353.28
SW5/ET/900/300/G	Equal Tee 900mm	383.64
SW5/IR/150/300/G	Internal Riser 150mm	158.70
SW5/IR/300/300/G	Internal Riser 300mm	166.98
SW5/IR/450/300/G	Internal Riser 450mm	186.30
SW5/IR/600/300/G	Internal Riser 600mm	204.24
SW5/IR/750/300/G	Internal Riser 750mm	213.90

Part Number	Description	Price
SW5/IR/900/300/G	Internal Riser 900mm	237.36
SW5/ER/150/300/G	External Riser 150mm	158.70
SW5/ER/300/300/G	External Riser 300mm	166.98
SW5/ER/450/300/G	External Riser 450mm	186.30
SW5/ER/600/300/G	External Riser 600mm	204.24
SW5/ER/750/300/G	External Riser 750mm	213.90
SW5/ER/900/300/G	External Riser 900mm	237.36
SW5/C/150/300/G	Cross 150mm	274.62
SW5/C/300/300/G	Cross 300mm	304.98
SW5/C/450/300/G	Cross 450mm	383.64
SW5/C/600/300/G	Cross 600mm	427.80
SW5/C/750/300/G	Cross 750mm	466.44
SW5/C/900/300/G	Cross 900mm	494.04
SW5/RS/300/150/G	Straight Reducer 300mm	118.68
SW5/RS/450/300/G	Straight Reducer 450mm	131.10
SW5/RS/600/300/G	Straight Reducer 600mm	146.28
SW5/RS/750/300/G	Straight Reducer 750mm	172.50
SW5/RS/900/300/G	Straight Reducer 900mm	189.06

CABLE LADDER ACCESSORIES

SW/AFB/G	Adjustable Fixing Bracket (each)	8.56
SW/EFC/G	External Flange Clamp (each)	3.86
SW5/CS/G	Straight Coupler (pair)	26.22
SW4/5/VAC/G	Vertical (Adj) Coupler (each)	26.22
SW4/5/HAC/G	Horizontal (Adj) Coupler (each)	24.84
SW5/HDB/G	Hold Down Bracket (each)	9.52
EBS	Earth Braid (each)	11.39

PLEASE NOTE:

All Ladder accessories are supplied with a 300mm radius as standard - other radii available on request

SPEEDWAY 6 system (SW6) = 150mm sidewall - POA

All Cable Ladder systems (SW4, SW5 & SW6) available in numerous special finishes - POA

1. Unitrunk (Head Office)
Blaris Industrial Estate
Altona Road, Lisburn
Co. Antrim BT27 5QB
Tel: 028 9262 5100
Fax: 028 9262 5101
Email: Lisburn@unitrunk.co.uk
www.unitrunk.co.uk

2. Unitrunk (Manchester)
Unit 2 Orbital Way
Windmill Lane, Denton M34 3QA
Tel: 0161 336 1177
Fax: 0161 336 1188
Email: Manchester@unitrunk.co.uk

3. Unitrunk (Wolverhampton)
Titan 2, Coxwell Avenue,
Wolverhampton Science Park
Stafford Rd, Wolverhampton
WV10 9RT
Tel: 01902 717786
Fax: 01902 714105
Email: Wolverhampton@unitrunk.co.uk

4. Unitrunk (Harlow)
Unit G, Flex Meadow
Merring Way, Harlow
Essex CM19 5TJ
Tel: 01279 444481
Fax: 01279 444405
Email: Harlow@unitrunk.co.uk


5. Unitrunk (Bristol)
Poplar Way East,
Cabot Park, Avonmouth,
Bristol, BS11 0YH
Tel: 0117 9823720
Fax: 0117 9382998
Email: bristol@unitrunk.co.uk

6. Unitrunk (North East)
Unit 1 Angel Park
Drum Industrial Estate
Chester-le-Street DH2 1AQ
Tel: 0191 492 1470
Fax: 0191 410 8702
Email: Northeast@unitrunk.co.uk

7. Unitrunk (UK Commercial Office)
Goddard Road, Astmoor
Runcorn, Cheshire WA7 1QF
Tel: 01928 581520
Fax: 01928 591629
Email: Commercialoffice@unitrunk.co.uk

8. Unitrunk (Scotland)
Caputhall Road
Deans Industrial Estate
Livingston, West Lothian
EH54 8AS
Tel: 01506 461964
Fax: 01506 461969
Email: Livingston@unitrunk.co.uk

9. Unitrunk (Ireland) (Euro Zone)
Unit 17 Rosemount Park Drive
Rosemount Business Park
Ballycoolin Road, Dublin 11
Tel: 00 353 (0) 1 8200292
Fax: 00 353 (0) 1 8223533
Email: Dublin@unitrunk.ie



www.unitrunk.co.uk

Unitrunk offers a full range of stainless steel products for use in situations where corrosion resistance and relative strength are paramount and a product with a longer guaranteed life is required.